

Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's name or trade mark: daytime®

Supplier's address: Service, Sapelloh 51, 31606 Warmсен, DE

Model identifier: backlight OA-STL-125

Type of light source:

Lighting technology used:	LED	Non-directional or directional:	DLS
Light source cap-type (or other electric interface)	andere elektrische Schnittstelle		
Mains or non-mains:	NMLS	Connected light source (CLS):	No
Colour-tuneable light source:	No	Envelope:	-
High luminance light source:	No		
Anti-glare shield:	No	Dimmable:	Only with specific dimmers

Product parameters


Parameter	Value	Parameter	Value
General product parameters:			
Energy consumption in on-mode (kWh/1000 h), rounded up to the nearest integer	27	Energy efficiency class	F
Useful luminous flux (ϕ_{use}), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°)	2 646 in Wide cone (120°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	6 500
On-mode power (P_{on}), expressed in W	27,0	Standby power (P_{sb}), expressed in W and rounded to the second decimal	0,00
Networked standby power (P_{net}) for CLS, expressed in W and rounded to the second decimal	-	Colour rendering index, rounded to the nearest integer, or the range of CRI-values that can be set	80
Outer dimensions without separate con-	Height	390	Spectral power distribution in the See image in last page
	Width	700	
	Depth	22	

trol gear, lighting control parts and non-lighting control parts, if any (millimetre)			range 250 nm to 800 nm, at full-load	
Claim of equivalent power ^(a)	-		If yes, equivalent power (W)	-
			Chromaticity coordinates (x and y)	0,312 0,323
Parameters for directional light sources:				
Peak luminous intensity (cd)	842		Beam angle in degrees, or the range of beam angles that can be set	120
Parameters for LED and OLED light sources:				
R9 colour rendering index value	39		Survival factor	1,00
the lumen maintenance factor	1,00			

(a) : not applicable;

(b) : not applicable;

Spektrale Lichtverteilung:



Model placed on the Union market from 05/08/2025



EPREL registration number: 2436038

<https://eprel.ec.europa.eu/qr/2436038>

Supplier: Tropical Heimtierbedarf Deutschland GmbH (Manufacturer)

Website: <https://www.tropical-deutschland.de/>

Customer care service:

Name: Service

Website: www.daytime.de

Email: info@daytime.de

Phone: +4957679414390

Address:

Sapelloh 51
31606 Warmsen
Germany