Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's name or trade mark: EHEIM classicLED plants

Supplier's address: Service, Plochinger Straße 54, 73779 Deizisau, DE

Model identifier: 4261021 - 550 mm

Type of light source:					
Lighting technology used:	LED	Non-directional or directional:	NDLS		
Light source cap-type	24 V DC,				
(or other electric interface)	ausziehbare				
	Haltebügel,				
	Kunststoffadapter				
	für T5/T8				
Mains or non-mains:	NMLS	Connected light	No		
		source (CLS):			
Colour-tuneable light source:	No	Envelope:	-		
High luminance light source:	No				
Anti-glare shield:	No	Dimmable:	Only with		
			specific dimmers		
Product parameters					
Parameter	Value	Parameter	Value		
General product parameters:					
Energy consumption in on-	9	Energy efficiency	G		
mode (kWh/1000 h), rounded		class			
up to the nearest integer					

Parameter	Value	Parameter	Value				
General product parameters:							
Energy consumption in on- mode (kWh/1000 h), rounded up to the nearest integer	9	Energy efficiency class	G				
Useful luminous flux (φuse), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°)	689 in Sphere (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	7 700				
On-mode power (P _{on}), expressed in W	7,7	Standby power (P _{sb}), expressed in W and rounded to the second decimal	0,00				
Networked standby power (P _{net}) for CLS, expressed in W and rounded to the second decimal	-	Colour rendering index, rounded to the nearest integer, or the range of CRI-	90				

			values that can be set			
Outer	Height	6	Spectral power	See image		
dimensions	Width	550	distribution in the	in last page		
without separate control gear, lighting control parts and non- lighting control parts, if any (millimetre)	Depth	33	range 250 nm to 800 nm, at full-load			
Claim of equival	ent power ^(a)	-	If yes, equivalent power (W)	-		
			Chromaticity	0,304		
			coordinates (x and y)	0,287		
Parameters for LED and OLED light sources:						
R9 colour rendering index value		94	Survival factor	1,00		
the lumen main	tenance factor	0,96				

(a)_{'-'}: not applicable;

(b)_{'-'} : not applicable;

Spectral Power Distribution

